EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5170	370/329,332,337,341.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:21
S2	2510	S1 and (access with channel$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:21
S3	66	S2 and (allocat$4 with bit adj rate$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:22
S4	50	S2 and (allocat$4 with bit adj rate$1) and (request$4 with (resource$1 or channel$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:22
S5	38	S2 and (allocat$4 with bit adj rate$1) and (request$4 with (resource$1 or channel$1)) and (availab$4 with channel$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:23
S6	346	S1 and (channel$5 adj code$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:24

S7	451	S1 and ((channel$5 or channelisation or channelization) adj code$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:24
S8	122	S1 and (assign$4 or allocat$4) with ((channel$5 or channelisation or channelization) adj code$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:25
S9	217	S1 and ((channel$5 or channelisation or channelization) adj code$1) and (request$4 with channel$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:25
S10	20	S1 and ((channel$5 or channelisation or channelization) adj code$1) and (request$4 with channel$1) and (broadcast$4 with availab$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:26
S11	0	(availab$5 adj3 message$2) with (bit adj3 rate) with (rach or (access$3 adj3 channel$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:46
S12	16	(availab$5 adj3 message$2) with (bit adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:46

S13	29	(availab$5 adj3 message$2) with (data adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:49
S14	13	(bs or (base adj3 station$3)) with advertis$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:51
S15	0	(access$3 adj3 channel$3) with advertis$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:53
S16	17	(channel$3) with advertis$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:53
S17	3152	(channel$3) with availab$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:55
S18	937	(access$3 adj3channel$3) with availab$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:56

S19	50	(access$3 adj3 channel$3) with availab$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 15:56
S20	6	cho.in. and (channel with assignment with request with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 16:06
S21	283	(bs or (base adj3 station$3)) with status with ((bit or data) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 16:12
S22	12	(bs or (base adj3 station$3)) with status with ((bit or data) adj3 rate) same broadcast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 16:12
S23	33	("5103459" | "5280472" | "5384777" | "5461639" | "5537397" | "5544196" | "5673259" | "5802465" | "5825835" | "5841768" | "5850602" | "5875182" | "5893036" | "5894472" | "5933777" | "5943327" | "5953369" | "5982763" | "5991308" | "6009089" | "6011788" | "6026081" | "6031832" | "6038223" | "6038250" | "6041228" | "6163533" | "6169759" | "6301286" | "6389056" | "6480525" | "6507601" | "6643318").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:13
S24	8	(pich$3 or aich$3) with indicat$4 with ((data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:29
S25	42	(pich$3 or aich$3) with ((data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:30
S26	13	(pich$3 or aich$3) with (bw or bandwidth)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:33
S27	717	indicat$4 with availab$5 with ((bit$1 or data$1) adj3 rate$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:34
S28	48	(bs or (base adj3 station$3)) with indicat$4 with availab$5 with ((bit$1 or data$1) adj3 rate$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 16:35

S29	12	("6167283").URPN.	USPAT	OR	OFF	2009/05/20 16:47
S30	23	indicat$5 with ((bit$3 or data) adj3 rate$1) with (rach or (access$3 adj3 channel$3))	USPAT	OR	OFF	2009/05/20 17:31
S31	1559	(larg$4 or high$4) with ((data or bit) adj3 rate) with availab$5	USPAT	OR	OFF	2009/05/20 17:38
S32	5	(larg$4 or high$4) with ((data or bit) adj3 rate) with availab$5 and (pich or aich)	USPAT	OR	OFF	2009/05/20 17:38
S33	30	(larg$4 or high$4) with ((data or bit) adj3 rate) with availab$5 with indicat$5	USPAT	OR	OFF	2009/05/20 17:39
S34	213	determin$5 with ((data or bit) adj3 rate) with available with channel$3	USPAT	OR	OFF	2009/05/20 18:06
S35	15	determin$5 with high$4 with ((data or bit) adj3 rate) with available with channel$3	USPAT	OR	OFF	2009/05/20 18:06
S36	211	(broadcast$4 or advertis$5) with availab$4 with ((bit$3 or data$1) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 18:43
S37	241	max$5 with (broadcast$4 or advertis$5) with (data or bit) adj3 rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:02
S38	68	max$5 with (broadcast$4 or advertis$5) with (data or bit) adj3 rate with channel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:03
S39	110	max$5 with (broadcast$4 or advertis$5) with (data or bit) adj3 rate same channel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:03

S40	3	cdma and (determin$5 or select$5) with (rach or (random adj3 access adj3 channel)) with (max$5 adj3 (data or bit$1) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:22
S41	8	cdma and (determin$5 or select$5) with (rach or (random adj3 access adj3 channel)) with ((data or bit$1) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:23
S42	13	(determin$5 or select$5) with (rach or (random adj3 access adj3 channel)) with ((data or bit$1) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:23
S43	123	(rach or (random adj3 access adj3 channel)) with ((data or bit$1) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:24
S44	5	("5673259" | "5790551" | "5894472" | "6038223" | "6381229").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 19:34
S45	678	(bs or (base adj3 station$2)) with indicat$4 with (data or bit$2) adj3 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 19:59
S46	0	(bs or (base adj3 station$2)) with indicat$4 with (data or bit$2) adj3 rate with (rach or (random adj3 access$3 adj3 channel$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 19:59
S47	0	(bs or (base adj3 station$2)) with indicat$4 with (data or bit$2) adj3 rate with (rach$3 or (random adj3 access$3 adj3 channel$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 19:59
S48	25349	(rach$3 or (random adj3 access adj3 channel$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 20:00
S49	473	S48 with availab$5	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 20:00
S50	75	S48 with availab$5 with signatur$4	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/20 20:01

S51	39	S50 and ((data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:02
S52	1390	(bs or base adj3 station) with (indicat$4 or adverti$5) with ((data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:05
S53	37	(bs or base adj3 station) with (indicat$4 or adverti$5) with ((data or bit) adj3 rate) same (rach$3 or (access$3 adj3 channel$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:05
S54	73	(bs or base adj3 station) with (indicat$4 or adverti$5) with ((data or bit) adj3 rate) and (rach or (random with access with channel$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:09
S55	283	((data or bit) adj3 rate) with (pick or aich)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:16
S56	45	((data or bit) adj3 rate) with (pich or aich)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:16

S57	25	"6643275"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:19
S58	526	(bs or base adj3 station) with (indicat$4 or adverti$5) with status with channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:25
S59	46	(bs or base adj3 station) with (indicat$4 or adverti$5) with status with plurality with channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:25
S60	59	(bs or base adj3 station) with (indicat$4 or adverti$5) with status with (plurality or multipl$4) with channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:26
S61	68	indicat$5 with availab$5 with (data or bit) adj3 rate with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:35
S62	11	indicat$5 with availab$5 with (bw or bandwidth$3) with (plural$4 or multipl $4) adj3 (channel$1 or link$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:40

S63	1634	request$5 with (rach$3 or (random with access with channel$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:07
S64	18	S63 and (bs or node-b or (base adj3 station$3)) with (indicat$5 or adverti$5 or broadcast$4 or identif$5) with (bw or bandwidth$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:09
S65	21	indica$5 with (link adj3 status) with (bw or bandwidth$3 or (data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:32
S66	34	indica$5 with (channel$3 adj3 status) with (bw or bandwidth$3 or (data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:34
S67	10	"6292495" and status$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:51
S68	8	"6292495" and status$4 and (rate or bw or bandwidth$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:53

S69	287	(channel$3 adj3 status) with (bw or bandwidth$3 or (data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:55
S70	14	("5502721" | "5533004" | "5621723" | "5673259" | "5790551" | "5883887" | "6389056" | "6400695" | "6507601" | "6519233" | "6643318" | "6647005" | "6717975" | "6795412").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/21 15:26
S71	10	(bs or (base adj3 station)) with status$4 adj3 (plural$4 or multip$4) adj3 channel$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:42
S72	4050	370/252,329,332,335,342,337,341,347,320,321,441,442 or 455/68,69,515,525.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07
S73	287	(channel$3 adj3 status) with (bw or bandwidth$3 or (data or bit) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07
S74	8	S72 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07
S75	6071	370/329,332,337,341.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07

S76	387	S75 and (channel$5 adj code$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07
S77	21	S72 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:07
S78	939	(access$3 adj3channel$3) with availab$4 with ((data or bit$3) adj3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:08

5/21/2009 6:23:30 PM
C:\Documents and Settings\cgrey\My Documents\EAST\Workspaces\09630896.wsp..wsp